

## 原著

- Uchida Daisuke, Sasaki Sho, Kawarazaki Hiroo, Miyamoto Masahito, Nomura Atsushi, Koitabashi Kenichiro, Nishiwaki Hiroki, Shibagaki Yugo; Japanese Investigators with Innovative Network about Kidney Disease (JOINT-KD).  
Systemic inflammatory response syndrome is not an indicator of bacteremia in hemodialysis patients with native accesses: a multicenter study. ASAIO J. , 2017;63(4) : 501–506.
- Tominaga Naoto, Kida Keisuke, Inomata Takayuki, Sato Naoki, Izumi Tohru, Akasi Yoshihiro J, Shibagaki Yugo.  
Effects of tolvaptan addition to furosemide in normo- and hyponatremia patients with heart failure and chronic kidney disease stages G3b-5: A subanalysis of the K-STAR study. American journal of nephrology , 2017;46(5) : 417–426.
- Koji Hiraki, Yugo Shibagaki, Kazuhiro Izawa, Chiharu Hotta, Akiko Wakamiya, Tsutomu Sakurada, Takashi Yasuda, Kenjiro Kimura.  
Effects of home-based exercise on pre-dialysis chronic kidney disease patients: A randomized pilot and feasibility trial. BMC Nephrology , 2017;18 : 198.
- Suzuki T, Matsumura R, Kitamura H, Shibagaki Y.  
Rapid and Complete Remission of Class IV Lupus Nephritis with Massive Wire Loop Lesions. Case Rep Nephrol Dial. , 2018;8(1) : 56–61.
- Inomata Takayuki, Ikeda Yuki, Kida Keisuke, Shibagaki Yugo, Sato Naoki, Kumagai Yuji, Shinagawa Hisahito, Ako Junya, Izumi Tohru.  
Effects of additive tolvaptan vs. increased furosemide on heart failure with diuretic resistance and renal impairment – results from the K-STAR study. Circulation Journal , 2017;82(1) : 159–167.
- Furuichi K, Shimizu M, Yuzawa Y, Hara A, Toyama T, Kitamura H, Suzuki Y, Sato H, Uesugi N, Ubara Y, Hoshino J, Hisano S, Ueda Y, Nishi S, Yokoyama H, Nishino T, Kohagura K, Ogawa D, Mise K, Shibagaki Yugo, Kimura Kenjiro, Haneda M, Makino H, Matsuo S, Wada T; Research Group of Diabetic Nephropathy and Nephrosclerosis, Ministry of Health, Labour and Welfare of Japan, and Japan Agency for Medical Research and Development.  
Nationwide multicenter kidney biopsy study of Japanese patients with hypertensive nephrosclerosis. Clin Exp Nephrol, 2017; : Epub ahead of print.
- Kosaki K, Kamijo-Ikemori A, Sugaya T, Tanahashi K, Kumagai H, Sawano Y, Akazawa N, Ra SG, Kimura K, Shibagaki Y, Maeda S.  
Relationship between exercise capacity and urinary liver-type fatty acid-binding protein in middle-aged and older individuals. Clin Exp Nephrol. , 2017;21(5) : 810–817.
- Keisei Kosaki, Atsuko Kamijo-Ikemori, Takeshi Sugaya, Koichiro Tanahashi, Hiroshi Kumagai, Yuriko Sawano, Nobuhiko Akazawa, Yosuke Osuka, Kiyoji Tanaka, Kenjiro Kimura, Yugo Shibagaki , Seiji Maeda.  
Urinary liver-type fatty acid-binding protein is associated with subendocardial viability ratio in middle- and older-aged adults. Clinical and Experimental Hypertension , 2017; : Epub ahead of print.
- Soichiro Kon, Tsuneo Konta, Kazunobu Ichikawa, Koichi Asahi, Kunihiro Yamagata, Shouichi Fujimoto, Kazuhiko Tsuruya, Ichiei Narita, Masato Kasahara, Yugo Shibagaki, Kunitoshi Iseki, Toshiki Moriyama, Masahide Kondo, Tsuyoshi Watanabe.  
Association between renal function and cardiovascular and all-cause mortality in the community-based elderly population: results from the Specific Health Check and Guidance Program in Japan. Clinical and Experimental Nephrology , 2017; : ahead of print.

- Furuichi K, Shimizu M, Yuzawa Y, Hara A, Toyama T, Kitamura H, Suzuki Y, Sato H, Uesugi N, Ubara Y, Hohino J, Hisano S, Ueda Y, Nishi S, Yokoyama H, Nishino T, Kohagura K, Ogawa D, Mise K, Shibagaki Yugo, Makino H, Matsuo S, Wada T; Research Group of Diabetic Nephropathy, Ministry of Health, Labour and Welfare of Japan, and Japan Agency for Medical Research and Development. Clinicopathological analysis of biopsy-proven diabetic nephropathy based on the Japanese classification of diabetic nephropathy. *Clinical and Experimental Nephrology* , 2017; : Epub ahead of print.
- Yuji Sato, Shouichi Fujimoto, Tsuneo Konta, Kunitoshi Iseki, Toshiki Moriyama, Kunihiro Yamagata, Kazuhiko Tsuruya, Ichiei Narita, Masahide Kondo, Masato Kasahara, Yugo Shibagaki, Koichi Asahi, Tsuyoshi Watanabe. Anemia as a risk factor for all-cause mortality: obscure synergic effect of chronic kidney disease. *Clinical and Experimental Nephrology* , 2017; : Epub ahead of print.
- Wada T, Muso E, Maruyama S, Hara A, Furuichi K, Yoshimura K, Miyazaki M, Sato E, Abe M, Shibagaki Yugo, Narita I, Yokoyama H, Mori N, Yuzawa Y, Matsubara T, Tsukamoto T, Wada J, Ito T, Masutani K, Tsuruya K, Fujimoto S, Tsuda A, Suzuki H, Kasuno K, Terada Y, Nakata T, Iino N, Kobayashi S. Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. *Clinical and Experimental Nephrology* , 2017; : Epub ahead of print.
- Kunitoshi Iseki, Tsuneo Konta, Koichi Asahi, Kunihiro Yamagata, Shouichi Fujimoto, Kazuhiko Tsuruya, Ichiei Narita, Masato Kasahara, Yugo Shibagaki, Toshiki Moriyama, Masahide Kondo, Chiho Iseki, Tsuyoshi Watanabe. Glucosuria and all-cause mortality among general screening participants. *Clinical and Experimental Nephrology* , 2018; : 1-10.
- Sayuri Shirai, Naohiko Imai, Shina Sueki, Katsuomi Matsui, Naoto Tominaga, Tsutomu Sakurada, Takashi Yasuda, Kenjiro Kimura, Yugo Shibagaki. Combined cyclosporine and prednisolone therapy using cyclosporine blood concentration monitoring for adult patients with new-onset minimal change nephrotic syndrome: a single-center pilot randomized trial. *Clinical and Experimental Nephrology* , 2017;Epub ahead of print : Epub ahead of print.
- Iseki K, Asahi K, Yamagata K, Fujimoto S, Tasuruya K, Narita I, Konta T, Kasahara M, Shibagaki Y, Yoshida H, Moriyama T, Kondo M, Iseki C, Watanabe T;"Design of the comprehensive health care system for chronic kidney disease (CKD) based on the individual risk assessment by Specific Health Check". Mortality risk among screened subjects of the specific health check and guidance program in Japan 2008-2012. *Clinical and Experimental Nephrology* , 2017;21(6) : 978-985.
- Koji Hiraki, Chiharu Hotta, Kazuhiro P. Izawa, Tsutomu Sakurada, Yugo Shibagaki. Dietary protein intake is strongly and positively related with muscle strength in patients with pre-dialysis chronic kidney disease. *Clinical and Experimental Nephrology* , 2017;21(2) : 354-355.
- Shingo Fukuma, Sayaka Shimizu, Kakuya Niihata, Ken-ei Sada, Motoko Yanagita, Tsuguru Hatta, Masaomi Nangaku, Ritsuko Katafuchi, Yoshiro Fujita, Junji Koizumi, Shunzo Koizumi, Kenjiro Kimura, Shunichi Fukuhara, Yugo Shibagaki. Development of quality indicators for care chronic kidney disease in the primary care setting using electronic health data:a RAND-modified Delphi method. *Clinical and Experimental Nephrology* , 2017;21(2) : 247-256.

- Ohata Keiichi , Kamijo-Ikemori Atsuko , Sugaya Takeshi, Hibi Chihiro, Nakamura Takashi, Murase Takayo, Oikawa Tsuyoshi, Hoshino Seiko, Katayama Kimie, Asano Junko, Kimura Kenjiro, Shibagaki Yugo.  
Renoprotective effect of the xanthine oxidoreductase inhibitor Topiroxostat under decreased angiotensin II type 1a receptor expression. European Journal of Pharmacology , 2017;815 : 88-97.
- Keisei Kosaki, Atsuko Kamijo-Ikemori, Takeshi Sugaya, Koichiro Tanahashi, Hiroshi Kumagai, Yuriko Sawano, Yosuke Osuka, Kiyoji Tanaka, Yugo Shibagaki, Seiji Maeda.  
Association between muscular strength and intrarenal vascular resistance in middle-aged and older individuals. Exp Gerontol. 2017;91 : 72-78.
- Hisamichi Mikako, Kamijo-Ikemori Atsuko, Sugaya Takeshi, Hoshino Seiko, Kimura Kenjiro, Shibagaki Yugo.  
Role of bardoxolone methyl, a nuclear factor erythroid 2-related factor 2 activator, in aldosterone- and salt-induced renal injury. Hypertension Research , 2018;41(1) : 8-17.
- Yasuhiro Taki, Naohiko Imai, Tomohiro Nishi, Yugo Shibagaki.  
Transarterial Embolization of a Ruptured Renal Angiomyolipoma. Intern Med. , 2018;57(2) : 283-284.
- Takenoshita-Nakaya Sachiko, Takeba Yuko, Ohta Yuki, Ootaki Masanori, Watanabe Minoru, Iiri Taroh, Otsubo Takehito, Kobayashi Tsukasa, Machida Takafumi, Watanabe Daiki, Nakamura Yuki, Yamamoto Makoto, Kumai Toshio, Kobayashi Shinichi, Matsumoto Naoki.  
Population profile of cytochrome P450 isozymes in the small intestine of Japanese. Japanese Journal of Clinical Pharmacology and Therapeutics , 2018;49(1) : 3-6.
- Nishiwaki H, Hasegawa T, Ikenoue T, Tominaga Naoto, Yazawa Masahiko, Kawarazaki Hideo, Shibagaki Yugo, Yamamoto Y, Fukuma S, Yamazaki S, Fukuhara S.  
Association between post-dialysis hemoglobin level and the survival of vascular access. The Journal of Vascular Access , 2017; : online.
- Shigeiki Kojima, Naohiko Imai, Makoto Yamamoto, Yasuhiro Taki, Nagayuki Kaneshiro, Yugo Shibagaki.  
Emphysematous cystitis and spontaneous sigmoid colon perforation in a patient with steroid-dependent nephrotic syndrome. Nephrology (Carlton) , 2018;23(3) : 287-287.
- Yuhei Otobe, Koji Hiraki, Chiharu Hotta, Hajime Nishizawa, Kazuhiro P. Izawa, Yasuhiro Taki, Naohiko Imai, Tsutomu Sakurada, Yugo Shibagaki.  
Mild cognitive impairment in older adults with pre-dialysis patients with chronic kidney disease: Prevalence and association with physical function. Nephrology (Carlton), 2017; : Epub ahead of print.
- Yasuhiro Taki, Naohiko Imai, Yugo Shibagaki.  
Zinc deficiency anaemia in haemodialysis patients: Often overlooked but a reatable cause of anaemia. Nephrology (Carlton) , 2017;22(12) : 1037-1038.
- Kengo Furuichi, Yukio Yuzawa, Miho Shimizu, Akinori Hara, Tadashi Toyama, Hiroshi Kitamura, Yoshiki Suzuki, Hiroshi Sato, Noriko Uesugi, Yoshifumi Ubara, Satoshi Hisano, Yoshihiko Ueda, Shinichi Nishi, Hitoshi Yokoyama, Tomoya Nishino, Kentaro Kohagura, Daisuke Ogawa, Koki Mise, Yugo Shibagaki, Kenjiro Kimura, Masakazu Haneda, Hirofumi Makino, Seiichi Matsuo, Takashi Wada.  
Nationwide multicentre kidney biopsy study of Japanese patients with type 2 diabetes. Nephrology Dialysis Transplantation , 2018;33(1) : 138-148.

- Iseki Kunitoshi, Konta Tsuneo, Asahi Koichi, Yamagata Kunihiro, Fujimoto Shouichi, Tsuruya Kazuhiro, Narita Ichiei, Kasahara Masato, Shibagaki Yugo, Moriyama Toshiki, Kondo Masahide, Iseki Chiho, Watanabe Tsuyoshi; Design of the Comprehensive Health Care System for Chronic Kidney Disease (CKD) Based on the Individual Risk Assessment by Specific Health Check.  
Association of dipstick hematuria with all-cause mortality in the general population: results from the specific health check and guidance program in Japan. *Nephrology Dialysis Transplantation* , 2017;2017 : 1-8.
- Yuji Sato, Shouichi Fujimoto, Tsuneo Konta, Kunitoshi Iseki, Toshiki Moriyama, Kunihiro Yamagata, Kazuhiko Tsuruya, Ichiei Narita, Masahide Kondo, Masato Kasahara, Yugo Shibagaki, Koichi Asahi, Tsuyoshi Watanabe.  
Body shape index: Sex-specific differences in predictive power for all-cause mortality in the Japanese population. *PLoS One* , 2017;12(5) : e0177779.
- Sho Sasaki, Takeshi Hasegawa, Hiroo Kawarazaki, Atsushi Nomura, Daisuke Uchida, Takahiro Imaizumi, Masahide Furusho, Hiroki Nishiwaki, Shingo Fukuma, Yugo Shibagaki, Shunichi Fukuhara, on behalf of Japanese investigatOrs with Innovative Network for Kidney Disease: JOINT-KD.  
Correction: Development and Validation of a Clinical Prediction Rule for Bacteremia among Maintenance Hemodialysis Patients in Outpatient Settings. *PloS One* , 2017;12(7) : e0181800.
- Sato Eiichi, Kamijo-Ikemori Atsuko, Oikawa Tsuyoshi, Okuda Aya, Sugaya Takeshi, Nakamura Tsukasa, Shibagaki Yugo.  
Urinary excretion of liver-type fatty acid-binding protein reflects the severity of sepsis. *Renal Replacement Therapy* , 2017;3 : 26.
- K. Kosaki, A. Kamijo - Ikemori, T. Sugaya, K. Tanahashi, Y. Sawano, N. Akazawa, S. - G. Ra, K. Kimura, Y. Shibagaki,  
S. Maeda. Effect of habitual exercise on urinary liver - type fatty acid - binding protein levels in middle - aged and older adults. *Scand J Med Sci Sports.* , 2018;28(1) : 152-160.
- Takahiro Imaizumi, Takeshi Hasegawa, Atsushi Nomura, Sho Sasaki, Hiroki Nishiwaki, Takaya Ozeki, Hideaki Shimizu, Shun Minatoguchi, Taishi Yamakawa, Masahiko Yazawa, Daisuke Uchida, Hiroo Kawarazaki, Masahito Miyamoto, Tomo Suzuki, Kenichiro Koitabashi, Masahide Furusho, Yoshiro Fujita. Association Between *Staphylococcus aureus* Bacteremia and Hospital Mortality in Hemodialysis Patients With Bloodstream Infection: A Multicenter Cohort From Japanese Tertiary Care Centers. *Therapeutic Apheresis and Dialysis* , 2017;21(4) : 354-360.
- 谷澤雅彦, 小板橋賢一郎, 今井直彦, 河原崎宏雄, 櫻田勉, 佐々木秀郎, 力石辰也, 櫻井裕子, 柴垣有吾. 若手腎臓内科医・透析医の腎移植単科施設以外での限定的な腎移植経験が腎移植のオプション提示に与える影響. *日本臨床腎移植学会雑誌* , 2017;5(2) : 167-172.
- 堀田千晴, 平木幸治, 若宮亜希子, 井澤和大, 渡辺敏, 金城永幸, 櫻田勉, 柴垣有吾, 木村健二郎. 末期腎不全患者における治療法別の身体機能の差異. *日本透析医学会雑誌* , 2017;50(4) : 241-245.
- 音部 雄平, 平木 幸治, 堀田 千晴, 井澤 和大, 櫻田 勉, 柴垣 有吾, 木村 健二郎. 保存期慢性腎臓病患者における筋力値および健常者平均値との比較. *理学療法学* , 2017;44(6) : 401-407.
- 末木志奈, 矢萩浩一, 岡本岳史, 小板橋賢一郎, 櫻田勉, 柴垣有吾. 自己血管内シャント患者の血液透析前後における上肢SPPの検討. *腎と透析85別冊アクセス2017* , 2017;83(別冊) : 214-216.

- ・佐藤綾子，雨森彩，栗原健，山口克司，三橋祥二，岡部栄，大石大輔，松井勝臣，白井小百合，櫻田勉. 当院における腹膜透析と臨床工学技士の関わり 在宅人工呼吸療法の指導経験をもとに. 腎と透析別冊腹膜透析2017 , 2017;83 : 100-101.
- ・櫻田勉，金城永幸，内田大介，小板橋賢一郎，末木志奈，柴垣有吾. 腹膜透析カテーテル再埋没法の長期予後に関する検討. 腎と透析別冊腹膜透析2017 , 2017;83(別冊) : 131-133.
- ・藤原久美子，樋口愛，吉田美香，本鍋田由美子，今井直彦，櫻田勉. 患者実演形式で行う、出口部洗浄固定法の定期的指導の効果について. 腎と透析別冊透析2017 , 2017;83(別冊) : 224-225.
- ・大石大輔，田邊淳，町田慎治，松井勝臣，白井小百合，櫻田勉，柴垣有吾. 腹膜透析患者における体液過剰とarterial velocity index・arterial pulse volume indexの検討. 腎と透析別冊透析2017 , 2017;83(別冊) : 174-175.

#### 症例報告

- ・Atsuko Uehara, Masahiko Yazawa, Atsumi Kawata, Rina Hachisuka, Yugo Shibagaki. Denosumab for treatment of immobilization-related hypercalcemia in a patient with end-stage renal disease. CEN case Rep , 2017;6(1) : 111-114.
- ・小波津香織，櫻田勉，工藤浩也，中澤龍斗，佐々木秀郎，柴垣有吾，力石辰也. 腎血管性高血圧に対し、罹患腎の摘出が有効であった若年女性の1例. 日本腎臓学会誌 , 2018;60(2) : 149-155.
- ・上原圭太，櫻田勉，足利光平，中野恵美，柴垣有吾，明石嘉浩. 著明な下痢・嘔吐によりたこつぼ症候群を発症した維持透析患者の1例 たこつぼ症候群を発症した維持透析患者59例のまとめ. 日本透析医学会雑誌 , 2017;50(7) : 487-492.
- ・末木志奈，上原温子，小板橋賢一郎，櫻田勉，柴垣有吾. 腹膜透析歴1年以内で大量の離脱後腹水を認めた2症例. 腎と透析別冊透析2017 , 2017;83(別冊) : 278-279.
- ・村澤昌，古澤彩美，内田大介，河原崎宏雄，大門達明，堀永実，松崎章二，櫻田勉. 腹膜透析導入後に骨転移を伴う前立腺癌が判明した1例. 腎と透析別冊透析2017 , 2017;83(別冊) : 156-158.