

原著

- Taki Y, Sakurada T, Koitabashi K, Imai N, Shibagaki Y.
Predictive Factors for Withdrawal from Peritoneal Dialysis: A Retrospective Cohort Study at Two Centers in Japan. *Adv Perit Dial.* , 2017;33(2017) : 68-73.
- Yasuhiro Taki, Tsutomu Sakurada, Kenichiro Koitabashi, Naohiko Imai, Yugo Shibagaki.
Predictive Factors for Withdrawal from Peritoneal Dialysis: A Retrospective Cohort Study at Two Centers in Japan. *Advances in Peritoneal Dialysis* , 2017;33 : 68-73.
- Tsutomu Sakurada, Nagayuki Kaneshiro, Yasuhiro Taki, Shigeki Kojima, Kenichiro Koitabashi, Shina Sueki, Yugo Shibagaki. Long-Term Prognosis of Peritoneal Dialysis Patients with a Re-embedded Catheter. *Advances in Peritoneal Dialysis* , 2017;33 : 31-34.
- Kiyomi Osako, Tsutomu Sakurada, Kenichiro Koitabashi, Shina Sueki, Yugo Shibagaki.
Early Postoperative Complications of Peritoneal Dialysis Catheter Surgery Conducted by Nephrologists: A Single-Center Experience Over an Eight-Year Period. *Advances in Peritoneal Dialysis* , 2017;33 : 26-30.
- Shigeki Kojima, Tsutomu Sakurada, Kenichiro Koitabashi, Kaori Kojima, Shiika Watanabe, Daisuke Uchida, Nagayuki Kaneshiro, Yusuke Konno, Yugo Shibagaki.
Correlation Between Near-Vision Acuity and the Incidence of Peritoneal Dialysis-Related Infections. *Advances in Peritoneal Dialysis* , 2016;32 : 3-6.
- Mikako Hisamichi, Hiroo Kawarazaki, Masato Oroku, Kayori Tsuruoka, Tsutomu Sakurada, Sayuri Shirai, Ryo Kido, Kenjiro Kimura, Yugo Shibagaki.
Risk Factors for Allergic Reaction at Initial Therapeutic Plasma Exchange in A Single-Center Study; Beware of High Rates of Severe Allergic Reaction. *Advances in renal replacement therapy* , 2016;in press.
- Kamijo-Ikemori Atsuko, Sugaya Takeshi, Hibi Chihiro, Nakamura Takashi, Murase Takayo, Oikawa Tsuyoshi, Hoshino Seiko, Hisamichi Mikako, Hirata Kazuaki, Kimura Kenjiro, Shibagaki Yugo.
Renoprotective effect of the xanthine oxidoreductase inhibitor topiroxostat on adenine-induced renal injury. *American journal of physiology. Renal physiology* , 2016;310(11) : F1366-1376.
- Katayama S, Uchino S, Uji M, Ohnuma T, Namba Y, Kawarazaki Hiroo, Toki N, Takeda K, Yasuda H, Izawa J, Tokuhira N, Nagata I; Japanese Society of Education for Physicians and Trainees in Intensive Care (JSEPTIC) Clinical Trial Group.
Factors predicting successful discontinuation of continuous renal replacement therapy. *Anaesthesia and intensive care* , 2016;44(4) : 453-457.
- Kawarazaki H, Uchino S.
Validity of low-efficacy continuous renal replacement therapy in critically ill patients. *Anesthesiology Intensive Therapy* , 2016;48(3) : 191-196.
- Hanaoka Hironari, Yamada Hidehiro, Kiyokawa Tomofumi, Iida Harunobu, Suzuki Takeshi, Yamasaki Yoshioki, Ooka Seido, Nagafuchi Hiroko, Okazaki Takahiro, Ichikawa Daisuke, Shirai Sayuri, Shibagaki Yugo, Koike Junki, Ozaki Shoichi.
Lack of partial renal response by 12 weeks after induction therapy predicts poor renal response and systemic damage accrual in lupus nephritis class III or IV. *Arthritis research & therapy* , 2017;19(1) : 4-13.

- Hisamichi M, Kamijo-Ikemori A, Sugaya T, Ichikawa D, Hoshino S, Hirata K, Kimura K, Shibagaki Y. Increase in urinary markers during the acute phase reflects the degree of chronic tubulointerstitial injury after ischemia-reperfusion renal injury. *Biomarkers : biochemical indicators of exposure, response, and susceptibility to chemicals* , 2017;22(1) : 5-13.
- Hiraki K, Hotta C, Izawa KP, Sakurada T, Shibagaki Y. Dietary protein intake is strongly and positively related with muscle strength in patients with pre-dialysis chronic kidney disease. *Clin Exp Nephrol*. 2017;21(2) : 354-355.
- Fukuma S, Shimizu S, Niihata K, Sada KE, Yanagita M, Hatta T, Nangaku M, Katafuchi R, Fujita Y, Koizumi J, Koizumi S, Kimura K, Fukuhara S, Shibagaki Y. Development of quality indicators for care of chronic kidney disease in the primary care setting using electronic health data: a RAND-modified Delphi method. *Clinical and Experimental Nephrology* , 2016; : Epub ahead of print.
- Kosaki K, Kamijo-Ikemori A, Sugaya T, Tanahashi K, Kumagai H, Sawano Y, Akazawa N, Ra SG, Kimura K, Shibagaki Y, Maeda S. Relationship between exercise capacity and urinary liver-type fatty acid-binding protein in middle-aged and older individuals. *Clinical and Experimental Nephrology* , 2017;21(5) : 810-817.
- Kamei K, Konta T, Hirayama A, Ichikawa K, Kubota I, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Narita I, Kondo M, Shibagaki Y, Kasahara M, Asahi K, Watanabe T. Associations between serum uric acid levels and the incidence of nonfatal stroke: a nationwide community-based cohort study. *Clinical and experimental nephrology* , 2016; : Epub ahead of print.
- Iwabuchi M, Nakaya I, Tsuchiya Y, Shibagaki Y, Yamaguchi T, Fukuhara S, Oe Y, Sakuma T, Sato T, Taguma Y, Soma J. Effects of cyclophosphamide on the prognosis of Japanese patients with renal vasculitis associated with anti-neutrophil cytoplasmic antibody-positive microscopic polyangiitis. *Clinical and experimental nephrology* , 2016;20(5) : 712-719.
- Kamijo-Ikemori A, Sugaya T, Yoshida M, Hoshino S, Akatsu S, Yamazaki S, Kimura K, Shibagaki Y. Clinical utility of urinary liver-type fatty acid binding protein measured by latex-enhanced turbidimetric immunoassay in chronic kidney disease. *Clinical chemistry and laboratory medicine : CCLM / FESCC* , 2016;54(10) : 1645-1654.
- Kosaki K, Kamijo-Ikemori A, Sugaya T, Tanahashi K, Kumagai H, Sawano Y, Osuka Y, Tanaka K, Kimura K, Shibagaki Y, Maeda S. Association between muscular strength and intrarenal vascular resistance in middle-aged and older individuals. *Experimental Gerontology* , 2017;91 : 72-78.
- Hisamichi M, Kamijo-Ikemori A, Sugaya T, Ichikawa D, Natsukic T, Hoshinob S, Kimura K, Shibagaki Y. Role of Angiotensin II type 1a receptor in renal injury induced by deoxycorticosterone acetate (DOCA)-salt hypertension. *The FASEB JOURNAL* , 2017;31(1) : 72-84.

- Takayuki Adachi, Tsutomu Sakurada, Takanori Otowa, Keita Uehara, Shina Sueki, Shigeki Kojima, Nagayuki Kaneshiro, Katsuomi Matsui, Tadahisa Tomohiro, Yugo Shibagaki. Impact of Vascular Access Intervention Therapy on Cardiac Load in Hemodialysis Patients. *Hemodialysis International* , 2016;20(51) : 512-516.
- Imai Naohiko, Shibagaki Yugo, Yazawa Masahiko, Kitajima Kazuki, Nakazawa Ryuto, Sasaki Hideo, Chikaraishi Tatsuya. Follow-up rates of living kidney donor in Japan: A single center study. *Indian J Nephrol* , 2016;26(6) : 423-426.
- Hosaka A, Tsunoda R, Yamaguchi T, Shibagaki Y. Body Lateropulsion and Cerebellar Tremor in a Patient with Pontine Infarction. *Intern Med*, 2017;56(5) : 563-565.
- Ryuge A, Matsui K, Shibagaki Y. Hyponatremic Chloride-depletion Metabolic Alkalosis Successfully Treated with High Cation-gap Amino Acid. *Internal Medicine.* , 2016;55(13) : 1765-1767.
- Furuichi K, Yuzawa Y, Shimizu M, Hara A, Toyama T, Kitamura H, Suzuki Y, Sato H, Uesugi N, Ubara Y, Hisano S, Ueda Y, Nishi S, Yokoyama H, Nishino T, Kohagura K, Ogawa D, Mise K, Shibagaki Y, Kimura K, Haneda M, Makino H, Matsuo S, Wada T. Nationwide multicentre kidney biopsy study of Japanese patients with type 2 diabetes. *Nephrol Dial Transplant* , 2017; : Epub ahead of print.
- Sasaki Sho, Kawarazaki Hiroo, Hasegawa T, Shima H, Naganuma T, Shibagaki Yugo. Anemia and Long-Term Renal Prognosis in Patients with Post-Renal Acute Kidney Injury of Nonmalignant Cause. *Nephron*, 2016;135(2) : 129-136.
- Sho Sasaki, Takeshi Hasegawa, Hiroo Kawarazaki, Atsushi Nomura, Daisuke Uchida, Takahiro Imaizumi, Masahide Furusho, Hiroki Nishiwaki, Shingo Fukuma, Yugo Shibagaki, Shunichi Fukuhara, on behalf of Japanese investigators with Innovative Network for Kidney Disease: JOINT-KD. Development and Validation of a Clinical Prediction Rule for Bacteremia among Maintenance Hemodialysis Patients in Outpatient Settings. *PloS One* , 2017;12(1) : e0169975.
- Yazawa M, Kido R, Ohira S, Hasegawa T, Hanafusa N, Iseki K, Tsubakihara Y, Shibagaki Y. Early Mortality Was Highly and Strongly Associated with Functional Status in Incident Japanese Hemodialysis Patients: A Cohort Study of the Large National Dialysis Registry. *PloS One.* , 2016;11(6) : eCollection 2016.
- Kosaki K, Kamijo-Ikemori A, Sugaya T, Tanahashi K, Sawano Y, Akazawa N, Ra SG, Kimura K, Shibagaki Y, Maeda S. Effect of habitual exercise on urinary liver-type fatty acid-binding protein levels in middle-aged and older adults. *Scandinavian Journal of Medicine and Science in Sports* , 2017; : accepted.
- Maekawa H, Yazawa Masahiko, Koitabashi Kenichiro, Imai Naohiko, Kawarazaki H, Nakazawa Ryuto, Sasaki Hideo, Chikaraishi Tatsuya, and Shibagaki Yugo. Safety of Monitoring Viral and Liver Function Markers in Patients With Prior Resolved Hepatitis B Infection After Kidney Transplantation. *Transplantation proceedings* , 2016;48(6) : 2046-2049.

- Iseki K, Konta T, Asahi K, Yamagata K, Fujimoto S, Tsuruya K, Narita I, Kasahara M, Shibagaki Yugo, Moriyama T, Kondo M, Iseki C, Watanabe T; Design of the Comprehensive Health Care System for Chronic Kidney Disease (CKD) Based on the Individual Risk Assessment by Specific Health Check. Glucosuria and all-cause mortality among general screening participants. *Clinical and Experimental Nephrology* , 2017; : 1-10.
- 上原温子, 柴垣有吾.
臨床腎臓病学の課題と将来展望 (2) : 水・電解質代謝分野について. *Nephrology Frontier* , 2016;15(04) : 238-242.
- 栗田宣明, 脇田貴文, 福原俊一, 柴垣有吾.
効果的な患者指導のエビデンス作成を目指した尺度開発と検証の実際. *日本透析医学会雑誌* , 2017;50(3) : 180-181.
- 山本信, 櫻田勉, 上原圭太, 柴垣有吾.
非外傷性脾破裂による血性排液を認めた腹膜透析患者の1例. *日本透析医学会雑誌* , 2016;49(9) : 605-609.
- 佐藤大輝, 古澤彩美, 村澤昌, 河原崎宏雄.
日常生活動作低下のため施設入所となった高齢者の高カルシウム血症の1例. *東京都医師会雑誌* , 2016;11 : 637-639.
- 渡邊詩香, 小島茂樹, 金城永幸, 櫻田勉, 小坂橋賢一郎, 大石大輔, 村澤昌, 河原崎宏雄, 柴垣有吾. 腹膜透析導入後の末期腎不全患者のQOLと家族の介護負担度の変化に関する研究. *第30回神奈川県CAPD研究会誌* , 2017; : 27-28.
- 大平健宏, 小坂橋賢一郎, 櫻田勉, 末木志奈, 柴垣有吾. PD患者における血清 β 2MGを用いた尿量の測定. *第30回神奈川県CAPD研究会誌* , 2017; : 24-26.
- 松井勝臣, 田邊淳, 町田慎治, 大石大輔, 白井小百合, 櫻田勉, 柴垣有吾. 腹膜透析導入直後に交通性陰嚢水腫を合併した1例. *聖マリアンナ医科大学雑誌* , 2016;44(3) : 145-150.
- 末木志奈, 櫻田勉, 小島茂樹, 小坂橋賢一郎, 金城永幸, 今野雄介, 柴垣有吾. カテーテル感染に対するSPD(subcutaneous pathway diversion)の有用性の検討. *腎と透析* , 2016;81巻別冊透析2016 : 158-159.
- 大石大輔, 町田慎治, 松井勝臣, 今井直彦, 白井小百合, 櫻田勉, 柴垣有吾.
腹膜透析患者におけるarterial velocity indexとarterial pulse indexの検討. *腎と透析* , 2016;81巻別冊 腹膜透析2016 : 154-155.
- 末木志奈, 音羽孝則, 上原圭太, 松井勝臣, 櫻田勉, 佐藤雄一, 柴垣有吾.
後期高齢者血液透析導入患者のVA選択と予後の検討. *腎と透析* , 2016;81(別冊アクセス2016) : 123-125.
- 櫻田勉.
腹膜透析 PD腹膜炎-診断と治療、難治性の定義-. *腎と透析* , 2016;70(6) : 898-902.

症例報告

- Nagayuki Kaneshiro, Tsutomu Sakurada, Rina Hachisuka, Michiko Hisamichi, Masahiko Yazawa, Yugo Shibagaki.
Rupture of Subcutaneous Peritoneal Dialysis Catherer by Stretching Exercise : A Case Report. *Advances in peritoneal dialysis*. , 2016; : in press.

- Keiko Kai, Naoto Tominaga, Daisuke Uchida, Nanae Fukai, Yumie Matsuura, Susumu Uda, and Akio Yokochi.
Aldosterone Response in Severe Hypokalemia and Volume Depletion: A Case Report and Review of the Recent Research. *Case Reports in Nephrology* , 2016; : Epub 2016 Jul 20.
- Atsuko Uehara, Masahiko Yazawa, Atsumi Kawata, Rina Hachisuka, Yugo Shibagaki.. Denosumab for treatment of immobilization-related hypercalcemia in a patient with end-stage renal disease. *Clinical and Experimental Nephrology* , 2017;6(1) : 111-114.
- Shinji Machida, Naohiko Imai and Yugo Shibagaki.
Persistent Nephrogram. *Internal medicine* , 2016;55(24) : 3687-3688.
- Seiya Urae, Kayori Tsuruoka, Sayaka Kuroya and Yugo Shibagaki.
Tumor Lysis-like Syndrome in Eosinophilic Disease of the Lung: A Case Report and Review of the Literature. *Internal medicine* , 2016;55(20) : 3029-3034.
- Nagayuki Kaneshiro, Tsutomu Sakurada, Mikako Hisamichi, Shigeki Kojima, Shiika Watanabe, Daisuke Uchida, Yugo Shibagaki.
Resumption of Peritoneal Dialysis by Externalization of the Embedded Catheter: A Case Report. *J. St. Marianna Univ.* , 2016;(7) : 15-19.
- Masataka Hasegawa , Fumika Taki , Koki Shimizu , Sae Aratani , Takuya Fujimaru , Kazuhiro Aoki and Yasuhiro Komatsu.. A Case of Continuous Venovenous Hemofiltration for Anuric Acute Kidney Injury With Severe Hyponatremia: A Simple Method Involving Flexible Adjustment of Sodium Replacement Solution. *Kidney International Reports* , 2016;2016(1) : 85-88.
- Shinji Machida, Naohiko Imai, Daisuke Oishi, Katsuomi Matsui, Sayuri Shirai, Yugo Shibagaki.
End-stage renal disease secondary to pelvic organ prolapse. *Saudi Journal of Kidney Diseases and Transplantation* , 2017;28(1) : 199-200.
- 長谷川正宇.
遺伝性腎疾患を原疾患とした生体腎移植における遺伝カウンセリングの重要性. *日本臨床腎移植学会雑誌* , 2016;4(2) : 247-250.
- 村澤昌, 櫻田勉, 金城永幸, 古澤彩美, 河原崎宏雄, 齋藤淳一.
腹壁癒痕ヘルニア修復術と腹膜透析カテーテル留置術を一期的に施行した一例. *腎と透析*, 2016;vol. 81 別冊 アクセス2016 : 194-196.
- 金城永幸, 櫻田勉, 久道三佳子, 渡邊詩香, 小島茂樹, 内田大介, 今野雄介, 柴垣有吾.
急性腎不全改善後に埋没したカテーテルを用いてPD再導入した1症例. *腎と透析*, 2016;81巻別冊 腹膜透析2016 : 225-226.
- 黒木由香理, 藤嶋千華, 江副幸, 石渡希恵, 小坂橋賢一郎, 櫻田勉, 柴垣有吾.
出口部感染における当院での取り組み. *腎と透析* , 2016;81巻別冊 腹膜透析2016 : 199-200].
- 町田慎治, 大石大輔, 市川大介, 松井勝臣, 白井小百合, 今井直彦, 柴垣有吾, 小池淳樹, 城謙輔, 山口裕.
糖尿病治療経過中にネフローゼ症候群が急性発症した一例(症例検討会). *腎炎症例研究*, 2017;33 : 1-29.