

原著

- Yamada S, Tanabe J, Ogura Y, Nagai Y, Sugaya T, Ohata K, Natsuki Y, Ichikawa D, Watanabe S, Inoue K, Hoshino S, Kimura K, Shibagaki Y, Kamijo-Ikemori A.
Renoprotective effect of GLP-1 receptor agonist, liraglutide, in early-phase diabetic kidney disease in spontaneously diabetic torii fatty rats. *Clinical and Experimental Nephrology*, 2021;25 : 365-375.
- Miyauchi T, Osako K, Terashita M, Shibagaki Y, Yazawa M.
Relationship between compensatory hypertrophy of the remnant kidney after donor nephrectomy and albuminuria. *Clinical and Experimental Nephrology*, 2021;25(8) : 913-914.
- Watanabe S, Suzuki T, Han W, Nakata M, Koitabashi K, Ichikawa D, Kamijo-Ikemori A, Koike J, Shibagaki Y.
A case of spontaneous remission of thrombospondin Type-1 domain-containing-associated membranous nephropathy. *Internal Medicine*, 2021;60(19) : 3125-3128.
- Nishimoto M, Murashima M, Yoshida H, Eriguchi M, Tasaki H, Fukata F, Kosugi T, Matsui M, Samejima K, Iseki K, Asahi K, Yamagata K, Fujimoto S, Konta T, Narita I, Moriyama T, Kasahara M, Shibagaki Y, Kondo M, Watanabe T, Tsuruya K & The Japan Specific Health Checkups (J-SHC) Study Group.
Impact of self-reported walking habit on slower decline in renal function among the general population in a longitudinal study: the Japan Specific Health Checkups (J-SHC) Study. *Journal of Nephrology*, 2021;34 : 1845-1853.
- Otaki Y, Konta T, Ichikawa K, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Narita I, Kondo M, Shibagaki Y, Kasahara M, Asahi K, Watanabe T.
Possible burden of hyperuricaemia on mortality in a community-based population: a large-scale cohort study. *Scientific Reports*, 2021;11(1) : 8999.
- Nagano C, Takaoka Y, Kamei K, Hamada R, Ichikawa D, Tanaka K, Aoto Y, Ishiko S, Rossanti R, Sakakibara N, Okada E, Horinouchi T, Yamamura T, Tsuji Y, Noguchi Y, Ishimori S, Nagase H, Ninchoji T, Iijima K, Nozu K.
- Genotype-Phenotype Correlation in WT1 Exon 8 to 9 Missense Variants. *Kidney international reports*, 2021;6(8) : 2114-2121.
- Yamanouchi M, Furuichi K, Shimizu M, Toyama T, Yamamura Y, Oshima M, Kitajima S, Hara A, Iwata Y, Sakai N, Oba Y, Matsuoka S, Ikuma D, Mizuno H, Suwabe T, Hoshino J, Sawa N, Yuzawa Y, Kitamura H, Suzuki Y, Sato H, Uesugi N, Ueda Y, Nishi S, Yokoyama H, Nishino T, Samejima K, Kohagura K, Shibagaki Y, Makino H, Matsu S, Ubara Y, Wada T, Research Group of Diabetic Nephropathy, the

Ministry of Health, Labour and Welfare, and the Japan Agency for Medical Research and Development. Serum hemoglobin concentration, as a reflection of renal fibrosis, and risk of renal decline in early-stages of diabetic kidney disease: a nationwide, biopsy-based cohort study. *Nephrology Dialysis Transplantation*, 2021; : 1-9.

- Sato H, Ichikawa D, Okada E, Suzuki T, Watanabe S, Shirai S, Shibagaki Y. Spontaneous remission in adult patients with IgA nephropathy treated with conservative therapy. *PLoS One*, 2021;16(5) : e0251294.
- Kojima S, Yamada S, Fujishima R, Koitabashi K, Shibagaki Y, Sakurada T. Evaluation of modifiable risk factors for peritoneal dialysis-related peritonitis: a single-center retrospective cohort study. *Renal Replacement Therapy*, 2021;7 : 25.
- Rajiv Heda, Masahiko Yazawa, Michelle Shi, Madhu Bhaskaran, Fuad Zain Aloor, Paul J Thuluvath, Sanjaya K Satapathy.
- Non-alcoholic fatty liver and chronic kidney disease: Retrospect, introspect, and prospect. *World Journal of Gastroenterology*, 2021;27(17) : 1864-1882.
- Ishibashi Yuki, Kotoku Nozomi, Hagiwara Yuta, Kakinuma Kazutaka, Nakamura Yuta, Ooka Seido, Ikeda Hiroki, Sakurada Tsutomu, Tanabe Yasuhiro, Mineshita Masamichi, Akashi Yoshihiro J. Lessons learned from right ventricular dilatation without pulmonary embolism on contrast enhanced computed tomography in patients with non-severe COVID-19. *Journal of St. Marianna University*, 2021;12(1) : 15-18.
- Gohda T, Yanagisawa N, Murakoshi M, Ueda S, Nishizaki Y, Nojiri S, Ohashi Y, Ohno I, Shibagaki Y, Imai N, Iimuro S, Kuwabara M, Hayakawa H, Kimura K, Hosoyan T, Suzuki Y. Association between kidney function decline and baseline TNFR levels or change ratio in TNFR by febuxostat chiefly in non-diabetic CKD patients with asymptomatic hyperuricemia. *Frontiers in Medicine*, 2021;8 : 634932.
- Wakasugi M, Narita I, Iseki K, Asahi K, Yamagata K, Fujimoto S, Moriyama T, Konta T, Tsuruya K, Kasahara M, Shibagaki Y, Kondo M, Watanabe T. The Effect of CKD on Associations between Lifestyle Factors and All-cause, Cancer, and Cardiovascular Mortality: A Population-based Cohort Study. *Internal Medicine*, 2021;60(14) : 2189-2200.
- Fujii Tomoko, Namba Yoshitomo, Fujitani Shigeki, Sasaki Jun, Narihara Kentarou, Shibagaki Yugo, Uchino Shigehiko, Taira Yasuhiko.

- Low-dose continuous renal replacement therapy for acute kidney injury. *The International journal of artificial organs*, 2021;35(7) : 525-530.
- Yoichiro Otaki, Tetsu Watanabe, Tsuneo Konta, Masafumi Watanabe, Koichi Asahi, Kunihiro Yamagata, Shouichi Fujimoto , Kazuhiko Tsuruya , Ichiei Narita, Masato Kasahara, Yugo Shibagaki, Kunitoshi Iseki, Toshiki Moriyama, Masahide Kondo, Tsuyoshi Watanabe.
One-year change in plasma volume and mortality in the Japanese general population: An observational cohort study. *PLoS One*, 2021;16(7) : e0254665.
- Tominaga N, Yonaha T, Yamanouchi M, Sumi F, Taki Y, Shibagaki Y, Shiizaki K, Yano S.
Bone responsiveness to parathyroid hormone is negatively associated with parathyroid hormone-lowering drug use in patients undergoing hemodialysis: a cross-sectional study. *BMC Nephrology*, 2021;22(1) : 275.
- Yamanouchi M, Furuichi K, Hoshino J, Toyama T, Shimizu M, Yamamura Y, Oshima M, Kitajima S, Hara A, Iwata Y, Sakai N, Oba Y, Matsuoka S, Ikuma D, Mizuno H, Suwabe T, Sawa N, Yuzawa Y, Kitamura H, Suzuki Y, Sato H, Uesugi N, Ueda Y, Nishi S, Yokoyama H, Nishino T, Samejima K, Kohagura K, Shibagaki Y, Makino H, Matsuo S, Ubara Y, Wada T, Research group of diabetic nephropathy, the ministry of health, labour and welfare, and the Japan agency for eedical research and development.
Two-year longitudinal trajectory patterns of albuminuria and subsequent rates of end-stage kidney disease and all-cause death: a nationwide cohort study of biopsy-proven diabetic kidney disease. *BMJ Open Diabetes Research & Care*, 2021;9(1) : e002241.
- Yoshida k, Yonaha T, Yamanouchi M, Sumi H, Taki Y, Otobe Y, Miyashita M, Hachisuka R, Han W, Shibagaki Y, Tominaga N.
Welfare receipt and the risk of vitamin D deficiency in Japanese patients on maintenance hemodialysis: a cross-sectional, retrospective study. *Renal Replacement Therapy*, 2021;7(1) : 45.
- Murasawa M, Uehara A, Suzuki T, Shimizu S, Kojima S, Uchida D, Okamoto T, Naganuma T, Sasaki S, Imai N, Chikaraisi A, Matsukawa S, Kawarazaki H, Sakurada T, Shibagaki Y.
Association between pill burden and interdialytic weight gain in patients with hemodialysis: A multi-center cross-sectional study. *Therapeutic Apheresis and Dialysis*, 2021;25(4) : 475-482.
- Kosugi T, Eriguchi M, Yoshida H, Tasaki H, Fukata F, Nishimoto M, Matsui M, Samejima K, Iseki K, Fujimoto S, Konta T, Moriyama T, Yamagata K, Narita I, Kasahara M, Shibagaki Y, Kondo K, Asahi K, Watanabe T, Tsuruya K, Japan specific health checkups (J-SHC) study group.
Association between chronic kidney disease and new-onset dyslipidemia: The Japan specific health

checkups (J-SHC) study. *Atherosclerosis*, 2021;332 : 24-32.

- Urushihara M, Sato H, Shimizu A, Sugiyama H, Yokoyama H, Hataya H, Matsuoka K, Okamoto T, Ogino D, Miura K, Hamada R, Hibino S, Shima Y, Yamamura T, Kitamoto K, Ishihara M, Konomoto T, Hattori M, the Committee for Renal Biopsy and Disease Registry of the Japanese Society of Nephrology.
Clinical and histological features in pediatric and adolescent/young adult patients with renal disease: a cross-sectional analysis of the Japan Renal Biopsy Registry (J-RBR). *Clinical and Experimental Nephrology*, 2021;25(9) : 1018-1026.
- Shibagaki Y.
Trace proteinuria as a risk factor for cancer death in a general population. *Scientific reports*, 2021;11(1) : 16890.
- Otobe Y, Yamada M, Hiraki K, Onari S, Taki Y, Sumi H, Hachisuka R, Han W, Takahashi M, Suzuki M, Kimura Y, Koyama S, Masuda H, Shibagaki Y, Tominaga N.
Physical exercise improves cognitive function in older adults with stage 3–4 chronic kidney disease: a randomized controlled trial. *American Journal of Nephrology*, 2021;52(12) : 929-939.
- Honda Y, Itano S, Kugimiya A, Kubo E, Yamada Y, Kimachi M, Shibagaki Y, Ikenoue T.
Laxative use and mortality in patients on haemodialysis: a prospective cohort study. *BMC nephrology*, 2021;22(1) : 363.
- Otaki Y, Watanabe T, Konta T, Watanabe M, Fujimoto S, Sato Y, Asahi, K Yamagata K, Tsuruya K, Narita I, Kasahara M, Shibagaki Y, Iseki K, Moriyama T, Kondo M, Watanabe T.
One-year change in diastolic Blood pressure and aortic disease-related mortality in a Japanese general population aged 50-75 years. *Circulation Journal*, 2021;85(12) : 2222-2231.
- Sakurada T, Koitabashi T, Kohatsu K, Kojima S, Shibagaki Y.
Effect on residual kidney function of shared decision-making in selection of dialysis therapy. *Clinical and Experimental Nephrology*, 2021;25(11) : 1266-1267.
- Nagai K, Yamagata K, Iseki K, Moriyama T, Tsuruya K, Fujimoto S, Narita I, Konta T, Kondo M, Kasahara M, Shibagaki Y, Asahi K, Watanabe T.
Weight loss reduces the incidence of dipstick proteinuria: a cohort study from the Japanese general population. *Clinical and experimental nephrology*, 2021;25(12) : 1329-1335.
- Araumi A, Ichikawa K, Konta T, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Narita I,

Kondo M, Kasahara M, Shibagaki Y, Asahi K, Watanabe T.

The distribution of eGFR by age in a community-based healthy population: the Japan specific health checkups study (J-SHC study). *Clinical and experimental nephrology*, 2021;25(12) : 1303-1310.

- Kotake H, Yamada S, Ogura Y, Watanabe S, Inoue K, Ichikawa D, Sugaya T, Ohata K, Natsuki Y, Hoshino S, Watanabe M, Kimura K, Shibagaki Y, Kamijo-Ikemori A.
Endurance exercise training-attenuated diabetic kidney disease with muscle weakness in spontaneously diabetic Torii fatty rats. *Kidney and Blood Pressure Research*, 2021;47(3) : 203-218.
- Yamada S, Ogura Y, Inoue K, Tanabe J, Sugaya T, Ohata K, Nagai Y, Natsuki Y, Hoshino S, Watanabe S, Ichikawa D, Kimura K, Shibagaki Y, Kamijo-Ikemori A.
- Effect of GLP-1 Receptor Agonist, Liraglutide, on Muscle in Spontaneously Diabetic Torii Fatty Rats. *Molecular and Cellular Endocrinology*, 2022;1(539) : 111472.
- Koyama T, Makinouchi R, Machida S, Matsui K, Shibagaki Y, Imai N.. Seasonal changes in the prevalence of hyperkalemia in the emergency department: a single center study. *Medicina (Kaunas, Lithuania)*, 2022;58(2) : 282.
- Imasawa T, Saito C, Kai H, Iseki K, Kazama J J, Shibagaki Y, Sugiyama H, Nagata D, Narita I, Nishino T, Hasegawa H, Honda H, Maruyama S, Miyazaki M , Mukoyama M, Yasuda H , Wada T, Ishikawa Y, Tsunoda R, Nagai K , Okubo R, Kondo M, Hoshino ,J Yamagata K.
Long-term effectiveness of a primary care practice facilitation Program for chronic kidney disease management: an extended follow-up of a cluster-randomized FROM-J Study. *Nephrology Dialysis Transplantation*, 2022;(*) : *.
- Kataoka H, Mochizuki T , Ohara M, Tsuruta Y3, Iwasa N, Yoshida R, Tsuchiya K, Nitta K, Kimura K, Hosoya T, FEATHER Investigators.
Urate-lowering therapy for CKD patients with asymptomatic hyperuricemia without proteinuria elucidated by attribute-based research in the FEATHER Study. *Scientific reports*, 2022;12(1) : 3784.
- 齋藤由美子,田中真純,櫻井裕子,寺下真帆,谷澤雅彦,佐々木秀郎,菊地栄次,柴垣有吾.
小児献腎移植を経験して:小児移植経験の少ない施設での課題と多職種連携の必要性. *日本臨床腎移植学会雑誌*, 2021;9(1) : 130-133.
- 普久原智里,大迫希代美,櫻井裕子,寺下真帆,小坂橋賢一郎,今井直彦,谷澤雅彦,齋藤由美子,佐々木秀郎,菊地栄次,柴垣有吾.
聖マリアンナ医科大学病院における献腎移植待機外来の現状. *日本臨床腎移植学会雑誌*, 2021;9(1) : 95-99.

- ・ 藤嶋千華,江副幸,東山恵,森厚子,齊藤由美子,村澤昌,小波津香織,小島茂樹,櫻田勉,柴垣有吾.
当院の腹膜透析外来における COVID-19 対策. 腎と透析, 2021;91 : 84-85.
- ・ 小島茂樹,藤島理恵,山田将平,小坂橋賢一郎,柴垣有吾,櫻田勉.
当院における PD 関連腹膜炎の修正可能な危険因子の検討. 腎と透析, 2021;91 : 171-173.
- ・ 山田将平,櫻田勉,大迫希代美,小波津香織,村澤昌,小島茂樹,小坂橋賢一郎,柴垣有吾.
腹膜透析導入時の内臓脂肪面積および皮下脂肪面積とは腹膜炎の関係. 腎と透析, 2021;91 : 117-119.
- ・ 小山哲平,山田将平,村澤昌,小島茂樹,小波津香織,小坂橋賢一郎,櫻田勉,柴垣有吾.
腹膜透析患の位相角(Phase angle)に関連する因子の検討. 腎と透析, 2021;91 : 110-111.
- ・ 勝岡由一, 月山秀一, 天野江里子, 小島茂樹, 黄世捷, 遠藤陽, 松村かおり, 薄場涉, 坂本三樹, 菊地栄次.
透析患者に発見された副腎褐色細胞腫の 1 例. 日本内分泌外科学会雑誌, 2021;38(4) : 281-285.
- ・ Hibino M, Otaki Y, Kobeissi E, Pan H, Hibino H, Taddese H, Majeed A, Verma S, Konta T, Yamagata K, Fujimoto S, Tsuruya K, Narita I, Kasahara M, Shibagaki Y, Iseki K, Moriyama T, Kondo M, Asahi K, Watanabe T, Watanabe T, Watanabe M, Aune D.
Blood pressure, hypertension and the risk of aortic dissection incidence and mortality: results from the Japan-Specific Health Checkups Study, the UK biobank study and a meta-analysis of cohort studies. Circulation, 2022;145(9) : 633-644.

症例報告

- ・ Fujita Y, Yoshida K, Ichikawa D, Shibagaki Y, Yazawa M.
Abrupt worsening of occult IgA nephropathy after the first dose of SARS-CoV-2 vaccination. CEN case reports, 2021;6 : 1-7.
- ・ Noda R, Ishibashi Y.
Successful treatment of recurrent exit site and tunnel infections caused by atopic dermatitis with dupilumab: A case report. Therapeutic Apheresis and Dialysis, 2021;26(1) : 255-256.
- ・ Han W, Suzuki T, Watanabe S, Nakata M, Ichikawa D, Koike J, Oda T, Suzuki H, Suzuki Y, Shibagaki Y.
Galactose-deficient IgA1 and nephritis-associated plasmin receptors as markers for IgA-dominant infection-related glomerulonephritis: A case report. Medicine (Baltimore), 2021;100(5) : e24460.
- ・ Ogata M, Morikubo S, Imai N, Shibagaki Y, Yazawa M. Tonicity matters, especially in complex

hyponatremia

- resulting from pseudo-, translocational, and true hypotonic hyponatremia: An educational case report. Internal Medicine, 2021;* : *.
- Sumi H, Ishii A, Yamada Y, Shibagaki Y, Tominaga N.
Central volume shift in acute heart failure revealed by blood volume monitoring during haemodialysis: an exceptional case. Clinical Kidney Journal, 2021;0(0) : 1-3.
- Noda R, Kamano D, Abe T, Shinzawa S, Takamatsu M, Bae Y, Kobayashi R, Yanagi M, Ishibashi Y.
Granuloma formation after peritoneal dialysis catheter-related infection by Mycobacterium chelonae. Kidney International, 2021;100(6) : 1355.
- Yoshida K, Yazawa M, Terashita M, Shibagaki Y, Tominaga N.
False-positive urine dipstick result for proteinuria in a severe case of alkaluria. Clinical Nephrology, 2022;97(1) : 57-59.
- Kawasaki T, Ooka S, Mizushima M, Nakamura Y, Ikeda H, Sakurada T, Suzuki S, Yamazaki K, Goto Y, Sakurai K, Yamasaki Y, Kiyokawa T, Tonooka K, Kunishima H, Kawahata K.
COVID-19 and Adult-onset Still's Disease as part of Hyperferritinemic Syndromes. Modern Rheumatology Case Reports, 2022;6(1) : 101-105.
- Inoue T, Hisamichi M, Ichikawa D, Shibagaki Y, Yazawa M.
The effect of add-on acetazolamide to conventional diuretics for diuretic-resistant edema complicated with hypercapnia: a report of two cases. Internal Medicine, 2022;61(3) : 373-378.
- Kojima S, Okuyama E, Shibagaki Y, Sakurada T.
Onset of pleuroperitoneal communication detected by remote patient monitoring: A case report. Nephrology (Carlton), 2022;27(2) : 215-216.
- Ohyama Y, Yazawa M, Haji Y, Ryuge A, Takizawa N, Nomura A, Shimizu H, Fujita Y.
Calcium pyrophosphate deposition disease involving the largest Bursa in the human body. Journal of Nephrology, 2022;35(2) : 687-688.
- Noda R, Han W, Shibagaki Y, Yazawa M.
Renovascular hypertension secondary to massive iliopsoas hematoma. Kidney International, 2022;*
- 野田竜之介, 権紀映, 松永典子, 吉川隆広, 内田梨沙, 大瀬貴元.
リファキシミンにより肝性脳症の再発を予防できた血液透析患者の 1 例. 日本透析医学会雑誌,

2021;54(11) : 591-596.

- ・ 櫻田勉,村澤昌,小島茂樹,柴垣有吾.
- ・ 当院における透析用カテーテルの自己抜去事例の検討. 腎と透析, 2021;91 : 248-250.